

AKRON

T H E R E H A B R A N G E

AKRON

Quality and reliability through design

Quality and reliability through design



AKRON

1 Farthing Road, Ipswich,
Suffolk, IP1 5AP, United Kingdom
T: +44 (0)1473 461042
F: +44 (0)1473 462924
E: sales@akronproducts.co.uk
W: www.akronproducts.co.uk

Registered No: 942245 England. Registered Office: 310-312 Dallow Road, Luton, Beds, LU1 1TD



® and ™ are trademarks belonging to the ArjoHuntleigh group of companies. © Arjo AB, 2008
Dartex® is a registered trademark of Courtaulds Textiles (Holdings) Limited
As our policy is one of continuous improvement, we reserve the right to modify designs without prior notice.

AK002

Index	2
Technical Information	3
STREAMLINE™ POPULAR	4
STREAMLINE™ CONTINENTAL	5
STREAMLINE™ EUROPA CONTINENTAL	6
STREAMLINE™ MERIT DROP END	8
STREAMLINE™ Shower Trolley	9
Traction Equipment	10
ATP9 Traction Machine	11
Mat Table	12
Bobath Tables	13
Bobath 5	14
De Luxe Tilt Table	15
STREAMLINE™ Changing Tables	16
Operators Chairs and Stools	17
Themed Couch Accessories	18
Couch Accessories	19
Feature Descriptions and Upholstery Colour Range	22
Standard Features and Optional Accessories Matrix	23

STREAMLINE™ 225

All **STREAMLINE™** products have a Safe Working Load of 225 Kgs and have been tested to the applicable clauses within IEC 60601-2-38 for mechanical safety and load test.

The **Contourline™** Upholstery feature has been developed to provide enhanced patient comfort and security. The subtle contoured shaping increases patient contact areas, improving comfort, as well as positioning the patient centrally upon the couch. Available on most models at additional cost. In addition, all **STREAMLINE™** couches have been rigorously tested with a 2 x Safe Working Load (450kgs) loaded evenly, for in excess of one hour, to further prove lifting capability.




All products are tested in accordance with IEC 60601-2-38 Clause 28.4. This symbol denotes the Safe Working Load of the couch and its capability to lift the specified load from the minimum to the maximum height.

The AKRON Quality Management System is certified by Lloyd's Register Quality Assurance (LRQA) to ISO9001:2000 and ISO 13485:2003 as identified by certificate number LRQ 4002740



The CE marked products comply with the Essential Requirements in Annex I of EC Directive 93/42/EEC and the technical documentation is detailed within the 'Technical File'.


All Akron products featured in this catalogue have been designed to provide clearance for a mobile hoist for patient transfer procedures.



All height range measurements are from floor to top surface working height and have a tolerance of +/- 1.5cm. All angular measurements have a tolerance of +/- 5°.

All upholstery sizes for each individual section do not include hinges and have a tolerance of +/- 1.5cm. Overall lengths may be longer.

The upholstered couch sections satisfies flammability requirements to the following standards. BS7176:1995 (medium hazard) using ignition sources 0 (cigarette), 1 (gas) as defined in BS EN. 1921-1 and 2 and 5 (crib) BS.5852:1990



A very strong and rigid couch designed to withstand constant heavy use with minimal maintenance. Available with a choice of three top configurations to suit different treatment procedures.



Model 2222A, colour yellow

Model 2221A - Hydraulic with retractable wheel base

Model 2222A - Electric with retractable wheel base and choice of hand/footswitch operation

Model 2221B - Hydraulic with retractable wheel base

Model 2222B - Electric with retractable wheel base and choice of hand/footswitch operation

Model 2221C - Hydraulic with retractable wheel base and adjustable height armrests

Model 2222C - Electric with retractable wheel base and adjustable height armrests and choice of hand/footswitch operation

Options




- 70cm or 80cm width at extra cost
- Choice of hand or footswitch operation on electric models



Model 2222B, colour cobalt



Model 2222C, colour beige



For optional accessories please refer to the ACCESSORIES MATRIX on page 23.



STREAMLINE™ 225

Very strong and versatile, suitable for a wide range of manual therapy techniques, various medical procedures, osteopathy, massage and complimentary medicine.



Model 2232A, colour dark blue

Choice of models

Model 2231A - Hydraulic with retractable wheel base

Model 2232A - Electric with retractable wheel base and choice of hand/footswitch operation

Model 2231B - Hydraulic with retractable wheel base and manual head/backrest operation

Model 2232B - Electric with retractable wheel base and choice of hand/footswitch operation

Model 2231C - Hydraulic with retractable wheel base and adjustable height armrests

Model 2232C - Electric with retractable wheel base and adjustable height armrests and choice of hand/footswitch operation

Options




- 70cm or 80cm width at extra cost
- Choice of hand or footswitch operation on electric model at no extra cost



Model 2232B Electric with optional shroud, colour dark grey



Model 2232C Electric, colour beige



STREAMLINE™ 225

For optional accessories please refer to the ACCESSORIES MATRIX on page 23.

Providing unrivalled stability and rigidity, with our widest choice of top configurations to suit individual user requirements. All models are electrically operated for height and optional drainage positioning. The height operation is standard with integral footbar switch.




Model 2142C, colour light blue

- Choice of models**
- Model 2132A – without drainage
 - Model 2152A – with drainage
 - Model 2142A – split leg
 - Model 2162A – split leg with drainage
 - Model 2132B – without drainage
 - Model 2152B – with drainage
 - Model 2142B – split leg
 - Model 2162B – split leg with drainage
 - Model 2132C – without drainage
 - Model 2152C – with drainage
 - Model 2142C – split leg
 - Model 2162C – split leg with drainage


Options

- 70cm width at extra cost




Height Range 51cm – 99cm (20" – 39")

Model A
with drainage option



Model 2132A – without drainage
Model 2152A – with drainage



Model 2142A – split leg
Model 2162A – split leg with drainage




Model 2162A with optional drainage facility, colour light blue



Model 2162C with optional drainage facility, colour light blue




Model 2162C with optional shroud, colour light blue




Height Range 51cm – 99cm (20" – 39")


Models B & C
with drainage option




Model 2132B – without drainage
Model 2152B – with drainage



Model 2142B – split leg
Model 2162B – split leg with drainage



Model 2132C – without drainage
Model 2152C – with drainage



Model 2142C – split leg
Model 2162C – split leg with drainage

For optional accessories please refer to the ACCESSORIES MATRIX on page 23.

STREAMLINE™ 225



For optional accessories please refer to the ACCESSORIES MATRIX on page 23.

Strength and patient positioning are key factors in the design of the Drop End Couch. The long backrest and short foot section provide a comfortable seated position for a wide range of examination procedures.

Model 2282A, colour turquoise



Choice of Models

Model 2281A - Hydraulic with retractable wheel base and manual adjustment of foot/backrest

Model 2282A - Electric with retractable wheel base and manual adjustment of foot/backrest

Model 2283A - Electric with retractable wheel base and electric backrest operation by handswitch control

Options



- 70cm or 80cm width at extra cost
- Choice of hand or footswitch operation on electric Model 2282A at no extra cost



For optional accessories please refer to the ACCESSORIES MATRIX on page 23.

STREAMLINE™ 225

Model 2282A, colour turquoise



The new **STREAMLINE™** Shower Trolley is a treatment shower unit designed to enable easy management of the patients and reduce lifting and handling issues. The trolley has a safe working load of 225kgs to cater for heavier patients.



Model 2291 hydraulic (with optional shroud)

Features:

- Option of moulded base shroud for ease of cleaning and increased protection of base frame
- Hydraulic/electric height control for ease of patient transfers and to reduce lifting and handling
- Waterproof "soft feel" PVC shower tray for a safe yet comfortable patient environment
- Safe working load of 225kgs
- Lateral tilt, for easy patient transfer and aid of cleaning after use
- Permanent low gradient foot-down tilt for good water drainage
- Fully encompassing adjustable safety sides, lined with waterproof padding, enhances patient safety and discretion at all times
- Corrosion resistant pre-treatment then an additional nylon polyester finish, protects the steel frame from chipping, knocks and abrasions
- Linked large wheel base with steering facility
- Flexible, durable PVC waste water drainage hose with hook for convenient storage
- Height range 55cm - 105cm




Model Available

Model 2291 - STREAMLINE™ Shower Trolley, hydraulic

Model 2292 - STREAMLINE™ Shower Trolley, electric



Model 2291 hydraulic (with optional shroud)



STREAMLINE™ 225



For optional accessories please refer to the ACCESSORIES MATRIX on page 23.

The new design **STREAMLINE™** Traction Tables, with the increased safe working load are available separately or as part of a package with a full set of accessories. The new tables are fitted with a retractable wheel base and have mobile hoist clearance.

Note: packages include standard components as detailed below and the ATP9 traction machine as detailed on page 11.
Tables purchased separately include the variable traction machine mount only.

Choice of Models

- Model 8202-9 - **STREAMLINE™** electric package
- Model 8201-9 - **STREAMLINE™** hydraulic package
- Model 201A - **STREAMLINE™** hydraulic table with swivel machine mount
- Model 202A - **STREAMLINE™** electric table with swivel machine mount

AKRON STANDARD TRACTION PACKAGE COMPONENTS

- Model CT81UV - Thoracic harness
- Model PB61UV - Pelvic harness
- Model HH51 - Head halter
- Model FS900 - Flexion stool
- Model SC31 - Spreader bar
- Model CT9000 - Counter traction straps
- Model JC102 - Cervipillo
- Model CC103 - Cervipillo cover

AKRON CERVICAL IN-SITTING UNIT

Model 8905
This unit can be fitted to any of the Akron Traction Tables and is supplied complete with the necessary ropes and pulleys.



AKRON STANDARD TRACTION PACKAGE COMPONENTS





AKRON CERVICAL IN-SITTING UNIT

For optional accessories please refer to the ACCESSORIES MATRIX on page 23.



STREAMLINE™ 225



Features include seven different treatment modes including: static, intermittent, progressive/regressive and cyclic traction. The light emitting diodes of the control panel display the force being supplied as well as pre-set high and low force limits. The user-friendly control panel also clearly displays details of the seven programme modes available.



Programme details

Once the treatment mode has been selected the high and low force values, as well as any hold/rest times can be set.

Programme 1

Static - Sustained traction is applied with a smooth, constant pull and released similarly at the end of treatment.

Programme 2

Progressive/Regressive Static - Sustained traction is applied in graduated steps and is released similarly at the end of treatment.

Programme 3

Intermittent - Intermittent traction is applied at a smooth constant speed throughout treatment.

A pause at the high and low force or zero levels can be pre-set with the 'hold and rest' timers.

Programme 4

Progressive/Regressive Intermittent - The force is applied and released in graduated steps for the whole of the treatment. A pause between steps and at the high and low force levels can also be incorporated.

Programme 5

Progressive/Regressive with Stepped Intermittent - Intermittent traction as in programme 3 but with graduated steps at the start and end of treatment. A pause between steps can also be pre-set.

Programme 6

Cyclic Intermittent - Intermittent traction at a constant speed except at the start and end of treatment when the force is applied and released in graduated intermittent steps. A pause between steps and the high and low force levels can also be incorporated.

Programme 7

Cyclic with Static - Sustained traction is applied and released at the end of treatment with graduated, intermittent steps. A pause between steps can also be incorporated.

The **CE** marked ATP9 traction machine incorporates two important safety features:

- 1 A built-in battery back-up which operates a tension 'run-down' in the event of a power failure.
- 2 A programme interlock which prevents accidental increase in the high force tension during treatment.

Notes on **CE** Marking

The ATP9 Traction Machine has been **CE** marked to the Medical Device Directive 93/42/EEC. The ATP9 is a class 2A Medical Device and is approved by Lloyds Registry Quality Assurance Limited (No. 0088)

For optional accessories please refer to the ACCESSORIES MATRIX on page 23.

Designed to meet a wide range of neurological treatment procedures, the Akron Mat Tables are available in a choice of sizes to suit individual user requirements. The largest version, model 4542, has a wide frame for additional strength and stability.



Model 4511, colour cobalt

Choice of models

- Model 4511** - Hydraulic height operation with width of 106cm
- Model 4512** - Electric height operation with width of 106cm
- Model 4521** - Hydraulic height operation with width of 124cm
- Model 4522** - Electric height operation with width of 124cm
- Model 4532** - Electric height operation with top side of 152cm x 213cm
- Model 4542** - Electric height operation with top side of 183cm x 250cm


Options

- Choice of hand or footswitch operation on electric models at no extra cost


Model 4511 low transfer height, colour cobalt




Choice of hand/footswitch operation




Height range 46cm - 91cm (18" - 36")




Model 4511 hydraulic
Model 4512 electric



Model 4521 hydraulic
Model 4522 electric



Model 4532 electric



Model 4542 electric

For optional accessories please refer to the ACCESSORIES MATRIX on page 23.



The Akron Bobath range has been specifically designed for the rehabilitation of patients diagnosed with various neurological conditions. The enhanced rigidity and large upholstered tops allow for the performance of treatment techniques and exercises, with room for both patient and therapists.

Model 4412, colour dark blue



Choice of models

- Model 4411** - Hydraulic height operation with width of 106cm
- Model 4412** - Electric height operation with width of 106cm
- Model 4421** - Hydraulic height operation with width of 124cm
- Model 4422** - Electric height operation with width of 124cm

Options


- Choice of hand or footswitch operation on electric models at no extra cost




Choice of hand/footswitch operation



Height range 46cm - 91cm (18" - 36")



Model 4411 hydraulic
Model 4412 electric



Model 4421 hydraulic
Model 4422 electric



For optional accessories please refer to the ACCESSORIES MATRIX on page 23.

Both the table and specialised accessories were designed with the help and guidance of International Bobath tutors. This product sets the highest standards yet for the treatment and rehabilitation of patients with neurological conditions. The new frame design has an improved working and lifting capacity of 325kgs, providing greater security and safety for both the on board therapist and the heaviest patient.



- Model available**
- Model 4632** – Akron Bobath 5 electric with electric backrest
- Accessories available**
- Model 4604** – Chrome plated side supports – pair
 - Model 4605** – Nylon coated side supports – pair
 - Model 1039** – Side support pads – pair
 - Model 4602** – Patient support handles – pair
 - Model 4603** – Patient support loops – pair
 - Model 4607** – Arm/leg support attachment
 - Model 4608** – Knee block/seat attachment



Model 4603



Model 4607

Model 4632 with optional fold-down side supports, colour bright blue (non standard)




Model 4602



Model 4608

For optional accessories please refer to the ACCESSORIES MATRIX on page 23.



The Akron Tilt Table has numerous applications in both examination and treatment procedures. As a product it adds diagnostic value in vascular laboratories, for haemodynamic assessments; in general ultrasound departments, for positional scanning and in cardiac departments for 'tilt-testing'. Tilt tables are also used extensively in the area of functional rehabilitation for the handicapped and disabled patient where the requirement to stand or be upright is of paramount importance, where it improves the 'quality of life', assists the natural gravitational functions of the body, re-educates the balance mechanisms affected by long periods of lying and gives a degree of independence.



Model 8652, colour light blue

Model 8652B De Luxe Tilt Table with back rest, colour light blue



All Models fitted with quick release as standard



TT5 - Individual knee harnesses (standard on split leg models)

TT3 - Thoracic, pelvic and knee fixation belts, standard on Models 8652 and 8652B.

Split leg models are available with a number of optional accessories that have been developed to cater for patients requiring additional support and stability during Tilt Table procedures. These accessories must be specified at time of ordering.



Model 8652T with optional accessories fitted

For optional accessories please refer to the ACCESSORIES MATRIX on page 23.

The new **STREAMLINE™** Changing Tables provide a wide choice of models and top sizes to suit individual user requirements. All models have the option of a moulded base cover which is easy to clean and disinfect.

Model 2211 with optional side supports, colour cobalt



Choice of models

Model 2211 - Hydraulic with retractable wheel base

Model 2212 - Electric with retractable wheel base

Model 2311* - Hydraulic with large wheel base and side supports

Model 2312* - Electric with large wheel base and side supports

*It is recommended that large wheel base models are purchased with side supports

Options

- 70cm or 80cm width available at extra cost
- Choice of length 183cm (72") or 152cm (60")

For optional accessories please refer to the ACCESSORIES MATRIX on page 23.





Model 2312 with optional side support pads, shroud and **Contourline™** upholstery, colour mandarine



Model 2312 with optional shroud and **Contourline™** upholstery, colour mandarine



Choice of hand/footswitch operation



STREAMLINE™ 225

This high quality range of chairs and stools all feature recovery foam upholstery for additional comfort. All models are adjustable in height. The de luxe model also includes a seat tilt function and higher backrest for additional support. The standard chair and stool are also available with a greater height range (draftsmen version) and therefore include a foot ring and glides rather than castors for additional safety and security.



Model 8700 De Luxe Operators Chair

Model 8500 - Standard Operators Stool

Height Range 47 - 60cm (18" - 24") 5 star base with castors

Model 8500D - Operators Stool Draftsmen Version

Height Range 56 - 82cm (22" - 32") Adjustable foot ring, 5 star base with glides

Model 8600D - Operators Chair Draftsmen Version

Height Range 56 - 82cm (22" - 32") Adjustable foot ring, 5 star base with glides, adjustable height/angle of backrest

Model 8600 - Standard Operators Chair

Height Range 47 - 60cm (18" - 24") Adjustable height/angle of backrest, 5 star base with castors

Model 8700 - De Luxe Operators Chair

Height Range 47 - 60cm (18" - 24") Adjustable height/angle of backrest, seat angle adjustment, 5 star base with braked castors

Model 8800 - Saddle Seat

This has been specially developed for clinicians and therapists who need to sit close to their patient. The 'saddle' seat design encourages healthy back posture and support. This adjustable height seat is easy to manoeuvre during treatments as the users feet are still on the ground. The seat is mounted on a five star base with castors. Height range 45 - 60cm (18" - 24"). Upholstery colours The 8800 saddle seat is only available in black, blue or grey. All other chairs and stools can be purchased in any of the Akron colour range as detailed on page 23

For optional accessories please refer to the ACCESSORIES MATRIX on page 23.

THEMED STICKERS

This latest innovation provides the user the opportunity to select from a range of themed stickers to enhance the product and surrounding treatment area to therefore reduce fear for young children facing medical procedures.

Features

- Choice of themed stickers, all reusable, transferable and washable
- Ideal for applying to products with shroud option
- Will adhere to vinyl and painted surfaces

Themes available

- Undersea Adventure **Model 7338**
- Funky Flowers **Model 7339**
- Outer Space **Model 7340**
- Disney Princess **Model 7341**
- Jungle Safari **Model 7342**
- Winnie the Pooh **Model 7343**
- Other Disney characters on request




POWER CUT-OFF BOX

The power “cut-off” box incorporated into the mains power cable allows the operator to quickly remove power supply to the equipment by removing the pin. This facility ensures that the equipment cannot be functioned electronically until the user returns the pin to its “cut-off” box location. The pin can be attached to a cord or string if necessary. Available on most single motor products.

Model Available

Model 5F3800Z - Power cut-off box

For optional accessories please refer to the ACCESSORIES MATRIX on page 23.



SHROUD OPTION (above)

The moulded shroud provides increased hygiene as it is far easier to clean and disinfect. Supplied as standard on some models and as a cost option available for **STREAMLINE™** only

Model 2007 - STREAMLINE™ shroud option



FOOTBAR SWITCH (left)

Facilitates easy height control from any position around the couch. Simply raise or lower the bar using foot pressure for height adjustment. Available as an option on most **STREAMLINE™** models.

Model 1046 - Footbar switch



HAND AND FOOTSWITCHES

Hanging handswitches or footswitches are supplied on all single electric actuator couches. A choice is offered when purchasing.



For optional accessories please refer to the ACCESSORIES MATRIX on page 23.



DETACHABLE HEAD CUSHION

The foam padded detachable head cushion is available in matching vinyl to your couch or plinth. This support provides additional comfort for the patient both in a seated or lying position and can also be used beneath the lower limbs. This support is easily attached or removed by Velcro straps.

Model HC-1 - Detachable head cushion



SIDE SUPPORT PADS (PAIR)

Providing additional comfort and safety for patients. Can be quickly and simply secured to either nylon coated or chrome side supports.

Model 1038A - Side support pads 58cm (23")

Model 1039 - Side support pads 89cm (35")

For optional accessories please refer to the ACCESSORIES MATRIX on page 23.



FIXATION BELTS

Designed for Manual Traction techniques, the fixation belts are quick fastening with seat-belt type clips and are available in two lengths. They include the

canvas pad for additional comfort

Model FB01 - Fixation belt 2.5m

Model FB02 - Fixation belt 3.5m



SCULPTURED HEAD CUSHION

A detachable head cushion with central recess for positioning and comfort of the head/neck. Easily attached or removed by Velcro straps.

Model HC-2 - Sculptured head cushion



FOLD-DOWN SIDE SUPPORT (PAIR)

Providing additional patient safety.

2 section couches require 89cm (35").

3 section couches require 58cm (23").

Model 1034 - Nylon coated 89cm (35")

Model 1036 - Chrome plated 89cm (35")

Model 1028 - Nylon coated 58cm (23")

Model 1029 - Chrome plated 58cm (23")



CERVI PILLOW AND COVER

The Cervi Pillow has been specifically designed to relieve neck pain and is particularly effective for use during sleep. The contoured design helps to keep the patients head in the correct position and is very useful as a support during various medical procedures.

Model JC102 - Cervi pillow

Model CC103 - Cervi pillow cover



FACE SUPPORT PILLOW

This contoured foam pillow provides excellent support and comfort for prone treatments, particularly around the breathing hole slot. It can be used on virtually all couches and plinths.

Model SP1 - Face support pillow and cover

Model SP1-C - Additional towelling cover (cream or light blue)



MOULDED ARM SUPPORT

A multi adjustable moulded arm support for phlebotomy procedures. Requires fixing kit.

Model 7301 - Moulded arm support

Model 7320 - Fixing Kit for **STREAMLINE™** models

Model 7318 - Fixing Kit for General Purpose couches



TOWELLING COUCH COVERS

High quality stretch towelling covers are available to fit most couches and plinths. These provide additional hygiene for patients as well as protecting the couch vinyl from body sweat and oil based products that rapidly reduce the quality and life of the upholstery. Available in cream or light blue only. Refer to price list for sizes available.



DARTEX COUCH COVERS

The new Dartex covers are far more hygienic than conventional covers. They are water resistant, easy to wipe clean and can also be sterilised. They are fire retardant to BS7175. Standard colour bright blue. Refer to price list for sizes available.



UPHOLSTERED ARM SUPPORT

A positional aid for procedures and examinations of the lower arm and hand (available for all **STREAMLINE™** models and includes fixing kit).

Model 3293 - Upholstered arm support



FACE RING

The vinyl face ring provides additional comfort for prone treatments. Available in matching colours to your couch or plinth.

Model FR-1 - Face ring



For optional accessories please refer to the ACCESSORIES MATRIX on page 23.



Retractable Wheel Base

The retractable wheel base allows the couch to be moved with ease. The adjustable foot provides stability for a couch when it is being used on an uneven surface.



Shroud Option

The moulded shroud provides increased hygiene as it is far easier to clean and disinfect. Supplied as standard on some models and as a cost option on **STREAMLINE™** range.



Linked Large Wheel Base

The linked large wheel base permits 'fully rotating' or 'fixed wheel' steering when being moved. Alternatively the wheel system can be fully locked.



Upholstery Sections

All upholstery sections are bolted to the frame for added security. The high quality vinyl is hard wearing and easy to clean. All edges are padded for safety and comfort.



Hoist Access

All couch frames allow access for the majority of mobile hoists and descend low enough for wheelchair transfer.



Contourline™ Upholstery

This feature has been developed to provide enhanced patient comfort and security. The subtle contoured shaping increases patient contact areas, improving comfort, as well as positioning the patient centrally upon the couch. Available on most models at additional cost.



Hydraulic Models

The pedal lever for manual height adjustment can be accessed from either side of the couch and requires a pumping action to raise the couch. The lever must be raised and held in position by foot to lower the couch.



Power Assisted Sections

Infinitely lockable gas struts provide smooth adjustment of head or backrest sections by single handed operation of release lever.



Battery Backup

A low voltage battery backup system is incorporated on all models with two or more motors. This enables limited use of the motorised functions during mains power failure.



Pre-drilled Frames

The couch frames have been pre-drilled (and plugged) to facilitate the easy attachment of optional accessories which may be added at a later date than when purchased.

AKRON UPHOLSTERY VINYLs STANDARD COLOURS - MUNDIAL RANGE

The Mundial Contract Vinyl is suitable for a wide range of healthcare applications. The surface is hard wearing, water proof, easy to clean and is available in 6 standard colours.



Beige (419)



Light Blue (411)



Dark Blue (420)



Yellow (414)



Dark Grey (417)



Black (400)

PREMIUM COLOURS - DIABOLO RANGE (ADDITIONAL COST)

The Diabolo Club Contract Vinyl is very hard wearing and suitable for a wide range of hospital and nursing home furniture, rehabilitation equipment and care home product applications. This high quality range of vinyls is available at an additional cost and there is a choice of 12 colours.

Full details of cleaning and decontamination of all vinyls are detailed within the user manual. Please note: The colours illustrated may vary from actual vinyl supplied. This is because these colours are emulated using four colour printing process. However, every attempt has been made to make them as accurate as possible.



Cobalt (2002)



Orange (2017)



Turquoise (2013)



Anthracite (2001)



Roussillon (2018)



Oriflamme (2021)



Lilas (2014)



Mandaraine (2012)



Amande (2016)



Tilleul (2009)



Elephant (2015)



Terra Cotta (2005)

	Mundial Contract Vinyl	Diabolo Club Contract Vinyl
Waterproof Capability	Water Column 4	Water Column 6
PVC/Cotton Content	88% PVC - 12% Cotton	84% PVC - 16% Cotton
Martindale Rub Test	38,000 Rubs Without Wear	50,000 Rubs Without Wear
Surface Finish	Embossed Leather Look	Anti-slip Smooth Surface
Resistant to Mildew and Body Sweat	Yes - When Cleaned Regularly	Yes - When Cleaned Regularly

	Model Description	
Safe working load of 225kgs	S	2221A/B/C - STREAMLINE™ Popular
Standard width (in centimetres)	64	2222A/B/C - STREAMLINE™ Popular
Choice/top configurations	S	2231A/B/C - STREAMLINE™ Continental
Moulded base shroud	O	2232A/B/C - STREAMLINE™ Continental
Hydraulic height operation	S	2132A/B/C - STREAMLINE™ Europa Cont
Electric height operation	S	2142A/B/C - STREAMLINE™ Europa Cont
Electric backrest	S	2152A/B/C - STREAMLINE™ Europa Cont
Manual backrest	S	2162A/B/C - STREAMLINE™ Europa Cont
Electric tilt	O	2281A - STREAMLINE™ Merit Drop End
Footbar switch	O	2282A - STREAMLINE™ Merit Drop End
Quick release	O	2283A - STREAMLINE™ Merit Drop End
Retractable wheel base	S	8202-9 - Traction Package
Linked large wheel base	S	8201-9 - Traction Package
Large braking castors	S	4511/4521 - Mat Tables
Mobile hoist compatible	S	4512/4522 - Mat Tables
Self lubricating bearings	S	4532/4542 - Mat Tables
Battery backup	O	4411/4421 - Bobath Tables
Fold-down side supports	O	4412/4422 - Bobath Tables
Side support pads	O	4632 - Bobath 5
Paper roll holder	O	2211 - STREAMLINE™ Changing Table
Detachable head cushion	S	2311 - STREAMLINE™ Changing Table
Breathing hole and plug	S	2212 - STREAMLINE™ Changing Table
Leg supports	S	2312 - STREAMLINE™ Changing Table
Leg stirrups	S	2291 - Shower Trolley
Arm supports	O	2292 - Shower Trolley
Arm support loops	O	8652 - De Luxe Tilt Table
Support handles	O	8652T - De Luxe Tilt Table/Split Leg
Knee block/seat attachment	O	8652B - De Luxe Tilt Table/B/Rest
Moulded arm support kit	O	8652TB - De Luxe Tilt Table - S/L, B/R
Adjustable foot	S	
IV Pole	S	
Matching operators chair/stool	O	
Disposable accessory covers	O	
Themed stickers	O	